

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product MK-dent PREMIUM SERVICE ÖL (LU1022)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sector of uses [SU]

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Recommended intended purpose(s)

lubricant

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor

MK-dent Australia Pty Ltd
U14/1, Ricketts Road, Mount Waverle, Vic - 3149
Phone +61/3/9544 6980, Fax +61/3/9544 6946
E-Mail info@mk-dent.com.au

Advice

Produktinformation
Phone +61/3/9544 6980
Fax +61/3/9544 6946

1.4. Emergency telephone number

Emergency advice

Poison Information Center Australia
Phone +461/13 11 26

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC

F+; R12
R52/53

R-phrases

12 Extremely flammable.
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Aerosol 1	H222, H229
Compr. Gas	H280
Aquatic Chronic 3	H412

Hazard statements for physical hazards

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

Hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

2.2. Label elements

Labelling according to 1999/45/EC

Remarks for labelling

The product is classified and labelled in accordance with EC directives.

F+ Extremely flammable



R-phrases

12 Extremely flammable.
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases

1/2 Keep locked up and out of the reach of children.
16 Keep away from sources of ignition - No smoking.
23 Do not breathe spray.
61 Avoid release to the environment. Refer to special instructions/safety data sheets.
7 Keep container tightly closed.
9 Keep container in a well-ventilated place.

Special rules for supplemental label elements for certain mixtures

Keep away from sources of ignition - No smoking
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.
Keep out of the reach of children.

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

ester oil

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
74-98-6	200-827-9	propane	25 - 30	F+ R12
106-97-8	203-448-7	butane	25 - 30	F+ R12
111-65-9	203-892-1	n-octane	0,3	F R11; Xn R65; Xi R38; R67; N R50-53

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
74-98-6	200-827-9	propane	25 - 30	Flam. Gas 1, H220 / Press. Gas
106-97-8	203-448-7	butane	25 - 30	Flam. Gas 1, H220 / Press. Gas
111-65-9	203-892-1	n-octane	0,3	Flam. Liq. 2, H225 / Asp. Tox. 1, H304 / Skin Irrit. 2, H315 / STOT SE 3, H336 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.
In the event of persistent symptoms receive medical treatment.
Take affected person into fresh air.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.
In the event of symptoms refer for medical treatment.

In case of skin contact

In case of irritation consult a doctor.
In case of contact with skin wash off with water.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.
Remove contact lens

In case of ingestion

Do not induce vomiting.
Medical treatment.
Rinse out mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry fire-extinguishing substance
Carbon dioxide
Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.
Nitrogen oxides (NO_x)
Carbon monoxide (CO)
Carbon dioxide (CO₂)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.
Breathing protection and eye protection is required for fire-fighting under presence of fume and vapour

Additional information

Cool endangered containers with water spray and possibly remove them from fire site.
Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid skin and eye contact

For emergency responders

Remove persons to safety.

Keep people away and stay on the upwind side.

Use personal protective clothing.

Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

Take up with absorbent material.

Additional Information

Inform competent authorities in case of leakage to sewage system/surface water/groundwater.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols.

General protective measures

Take the usual precautions when handling with chemicals.

Hygiene measures

Please observe work hygiene regulations.

At work do not eat, drink and smoke.

Remove soiled or soaked clothing immediately.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Advice on storage compatibility

Keep away from foods and beverages

Keep away from ignition sources.

Store at distance to oxidising agents.

Do not store together with alkalies.

Keep at distance to acids.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Protect from direct solar radiation.

Protect from heat and direct solar radiation.

7.3. Specific end use(s)
Recommendation(s) for intended use
 See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
106-97-8	Butane	8 hours	1450	600	EH40/2005
		Short-term	1810	750	

8.2. Exposure controls

Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.
 Breathing apparatus in the event of aerosol or mist formation.

Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Nitrilrubber (index 1)
 The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.
 The exact breakthrough time of the glove material is to be inquired from the protection glove manufacturer and must be strictly adhered to.

Eye protection

safety goggles with side protection

Other protection measures

Protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance aerosol	Colour yellowish	Odour characteristic
------------------------------	----------------------------	--------------------------------

Odour threshold

No data available

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
Boiling temperature / boiling range	not determined				
Melting point / Freezing point	not determined				
Flash point	ca. -80 °C				
Vapourisation rate	not determined				

	Value	Temperature	at	Method	Remark
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	ca. 400 °C				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	not determined				
Vapour density	not determined				
Solubility in water					insoluble
Solubility/other	not determined				
Partition coefficient n-octanol/water (log P OW)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				
Oxidising properties	No information available.				
Explosive properties	Bildung explosionsfähiger Dampf-/Luftgemische möglich.				
9.2. Other information	no				

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known.

10.2. Chemical stability

Stable under the stated storage temperature.

10.3. Possibility of hazardous reactions

Reactions with strong acids and alkalies.

Reactions with oxidising agents.

10.4. Conditions to avoid

strong heating

sunlight

10.5. Incompatible materials

Substances to avoid

strong acids
oxidizing agent
alkalis

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Thermal decomposition

Remark No decomposition if used as directed.

Additional information

No risk of production of decomposition products when appropriately handled and stored

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	No data available			
LD50 acute dermal	No data available			
LC50 acute inhalation	No data available			
Skin irritation	low irritant effect - not necessary to label			
Eye irritation	low irritant - no labeling duty			
Skin sensitization	No data available			
Sensitization respiratory system	No data available			

Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
Subacute Toxicity	No data available			
Subchronic Toxicity	No data available			
Chronic Toxicity	No data available			
Mutagenicity	No data available			
Reproduction-Toxicity	No data available			
Carcinogenicity	No data available			

Specific target organ toxicity (single exposure)
no

Specific target organ toxicity (repeated exposure)
no

Aspiration hazard
no

Toxicity test (Additional information)
No data available

Experiences made from practice
No data available

Additional information
No toxicological data available.
Other hazardous properties may not be excluded.
The product is to be handled with the caution usual with chemicals.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation
Fish	No data available.			
Daphnia	No data available.			
Algae	No data available.			
Bacteria	No data available.			

12.2. Persistence and degradability

	Elimination rate	Method of analysis	Method	Validation
Physico-chemical degradability	No data available.			
Biological degradability	No data available.			
Degradability	No data available.			

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

General regulation

While intended handling are no environmental pollutions admitted and to expect.

Ecological data are not available.

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.	Name of waste
15 01 04	metallic packaging

Recommendations for the product

Consult the appropriate local waste disposal expert about waste disposal.
 Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of in accordance with legal regulations.
 Packaging that cannot be cleaned should be disposed of like the product.

General information

The waste code must be allocated in compliance with the EAK-regulation referring to the specific process and the sector.
 The classification of waste is always the responsibility of the end user.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)	2.1	2.1	2.1
14.4. Packing group	-	-	-
14.5. Environmental hazards	No	No	No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Land and inland navigation transport ADR/RID

Hazard label(s) 2.1
 tunnel restriction code D
 Classification code 5F

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available.

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Sources of key data used

Data sheets of the sub-supplier.

Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 11 Highly flammable.

R 12 Extremely flammable.

R 38 Irritating to skin.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 65 Harmful: may cause lung damage if swallowed.

R 67 Vapours may cause drowsiness and dizziness.

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.