



BIOHYGIENE

Safer for Nurses. Better for the Environment.

Bio Hygiene Pty Ltd
Unit N4 5-7 Hephher Rd
Campbelltown NSW 2560 Australia

Twitter: @BioHygiene
Web: biohygiene.com.au
Email: info@biohygiene.com.au
Ph: 1800 317 016 / 02 8073 4666

Use of Bevisto W1 + Bevisto W2 - 2020

One full week Bevisto W1 (Acidic) then one full week Bevisto W2 (Alkaline)

January						
M	T	W	T	F	S	S
W1		1	2	3	4	5
W2	6	7	8	9	10	11
W1	13	14	15	16	17	18
W2	20	21	22	23	24	25
W1	27	28	29	30	31	

February						
M	T	W	T	F	S	S
W1					1	2
W2	3	4	5	6	7	8
W1	10	11	12	13	14	15
W2	17	18	19	20	21	22
W1	24	25	26	27	28	29

March						
M	T	W	T	F	S	S
W1	30	31				
W2	2	3	4	5	6	7
W1	9	10	11	12	13	14
W2	16	17	18	19	20	21
W1	23	24	25	26	27	28

April						
M	T	W	T	F	S	S
W1			1	2	3	4
W2	6	7	8	9	10	11
W1	13	14	15	16	17	18
W2	20	21	22	23	24	25
W1	27	28	29	30		

May						
M	T	W	T	F	S	S
W1				1	2	3
W2	4	5	6	7	8	9
W1	11	12	13	14	15	16
W2	18	19	20	21	22	23
W1	25	26	27	28	29	30

June						
M	T	W	T	F	S	S
W1	1	2	3	4	5	6
W2	8	9	10	11	12	13
W1	15	16	17	18	19	20
W2	22	23	24	25	26	27
W1	29	30				

July						
M	T	W	T	F	S	S
W1			1	2	3	4
W2	6	7	8	9	10	11
W1	13	14	15	16	17	18
W2	20	21	22	23	24	25
W1	27	28	29	30	31	

August						
M	T	W	T	F	S	S
W1	31				1	2
W2	3	4	5	6	7	8
W1	10	11	12	13	14	15
W2	17	18	19	20	21	22
W1	24	25	26	27	28	29

September						
M	T	W	T	F	S	S
W1		1	2	3	4	5
W2	7	8	9	10	11	12
W1	14	15	16	17	18	19
W2	21	22	23	24	25	26
W1	28	29	30			

October						
M	T	W	T	F	S	S
W1			1	2	3	4
W2	5	6	7	8	9	10
W1	12	13	14	15	16	17
W2	19	20	21	22	23	24
W1	26	27	28	29	30	31

November						
M	T	W	T	F	S	S
W1	30					1
W2	2	3	4	5	6	7
W1	9	10	11	12	13	14
W2	16	17	18	19	20	21
W1	23	24	25	26	27	28

December						
M	T	W	T	F	S	S
W1		1	2	3	4	5
W2	7	8	9	10	11	12
W1	14	15	16	17	18	19
W2	21	22	23	24	25	26
W1	28	29	30	31		

Over the years a dual pH system has proven to be more effective than a single pH cleaning system.



www.biohygiene.com.au

Beviston/Germany is **REACH** compliant and certified by DIN ISO EN 9001 + DIN EN ISO 13485 + CE

